



## Bonus Material from Isabel Munck's article: Management of Forest Diseases

### References:

- Boraks A, Broders KD (2014) Butternut (*Juglans cinerea*) health, hybridization, and recruitment in the northeastern United States. *Canadian Journal of Forest Research* **44**, 1244-1252.
- Boyd IL, Freer-Smith PH, Gilligan CA, Godfray HCJ (2013) The Consequence of Tree Pests and Diseases for Ecosystem Services. *Science* 342.
- Broders K, Munck I, Wyka S, Iriarte G, Beaudoin E (2015) Characterization of Fungal Pathogens Associated with White Pine Needle Damage (WPND) in Northeastern North America. *Forests* **6**, 4088.
- Kokotovich AE, Zeilinger AR (2011) Exploring social and institutional variation across oak wilt risk management programs in Minnesota, USA. *Urban Forestry & Urban Greening* **10**, 39-45.
- Laflamme G, Broders K, Cote C, *et al.* (2015) Priority of *Lophophacidium* over *Canavirgella*: taxonomic status of *Lophophacidium dooksii* and *Canavirgella banfieldii*, causal agents of a white pine needle disease. *Mycologia* **107**, 745-753.
- Liebhold AM, McCullough DG, Blackburn LM, *et al.* (2013) A highly aggregated geographical distribution of forest pest invasions in the USA. *Diversity and Distributions* **19**, 1208-1216.
- McIntire, C., Asbjornsen, H., Broders, K., Munck, I., Livingston, W. 2014. Interactive effects of white pine needle damage and climate change on forest health and carbon-water dynamics across the northeastern United States. *The International Forestry Review* 16: 486. Presentation at XXIV IUFRO World Congress
- Stanosz, G., Cummings, J., Jackson, W. 1991. Pest Alert: Brown spot needle blight of eastern white pine. USDA Forest Service, Northeastern Area, NA-PR-03-91.
- Schultz, J. 2003. Conservation assessment for butternut or white walnut (*Juglans cinerea* L.). USDA For. Serv., Eastern Region., Milwaukee, WI . 76 p. Available online at [www.fs.fed.us/r9/wildlife/tes/ca-overview/docs/plant\\_juglans\\_cinera-Butternut2003.pdf](http://www.fs.fed.us/r9/wildlife/tes/ca-overview/docs/plant_juglans_cinera-Butternut2003.pdf)
- Wyka SA, Smith C, Munck IA, *et al.* (2017) Emergence of white pine needle damage in the northeastern United States is associated with changes in pathogen pressure in response to climate change. *Global Change Biology* **23**, 394-405.

Photo below of Eastern White Pine Needle Damage. Photo by I. Munck.



Bonus Material: Santa Claus Deconstructed. 19<sup>th</sup> Century Greeting Cards Showing *Amanita muscaria*.

